100 Series
Datasheet

PHILIPS
TECHNOLOGY
**INSIDE**

CLS — COMPLETE LIGHTING SERVICES LIMITED

/MF40

IP65

237 mm

Key Features

- ▶ Large 237mm downlight with die-cast bezel
- ▶ Universal bezel option for decorative and IP65 options
- ▶ Philips LED and driver system for optimum performance
- ▶ 50° Satin etched reflector as standard or 40° multi-faceted option
- ▶ DALI, dimming and emergency options
- ▶ Lumen depreciation L70/B10 @ 60,000h
- ▶ 5 year warranty

Technical Drawing

167 mm
40 mm max
ø222 mm cut-out
ø237 mm bezel

DC — Declaration of Conformity available

Ordering Information

Luminaire Output	Power	Colour	Model Ref.
llm	tcW		
1125	15	830	**100.1100.30**
1225	15	840	**100.1100.40**
1875	25	830	**100.2000.30**
2050	25	840	**100.2000.40**
2700	34.5	830	**100.3000.30**
2950	35	840	**100.3000.40**
3675	46.5	830	**100.5000.30**
4025	46.5	840	**100.5000.40**

Options

Please select from the options below.

Touch dimming / DALI	**/T+DALI**
Universal bezel	**/UB**
40° Multi-faceted reflector	**/MF40**
EM conversion	**/EM**
DALI and self-test EM conversion	**/EMD**
Integral indicator for EM conversion	**I**

Options

/T+DALI
Touch dimming / DALI

/MF40
40° Multifaceted reflector

/EM
EM conversion

/EMD
DALI and self-test EM conversion

/EMI
EM conversion with integral indicator

/EMDI
DALI and self-test EM conversion with Integral indicator

/UB
Universal bezel to accept accessories

Decorative Glass
Please specify with universal bezel /UB

DG001/240
Outer etched glass

DG002/240
Clear glass

DG003/240
Centre etched glass

DG005/240
Clear halo glass

DG006/240
Etched halo glass

DG007/240
Fully etched glass

**COMPLETE LIGHTING
CLS
SERVICES LIMITED**

Corona Glass

<div align="right">Please specify with universal bezel **/UB**</div>

CG001/240
Outer etched glass

CG002/240
Clear glass

CG003/240
Centre etched glass

CG005/240
Clear halo glass

CG006/240
Etched halo glass

CG007/240
Fully etched glass

IP65 Bezel

<div align="right">Please specify with universal bezel **/UB**</div>

IP65/002/240
IP65 clear glass

IP65/008/240
IP65 opal polycarbonate

IP65/009/240
IP65 clear polycarbonate

GF008 / GF010
Anti-tamper driver / Anti-tamper bit
for IP65 bezel