

DECORATIVE COLLECTION

design by GAA



Complete Lighting Services Limited

Rooksdown House, Southern Road, Basingstoke, Hants, RG21 3DZ

Tele: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk





THE DESIGNER

GIRALDI ASSOCIATES ARCHITECTS, as GAA is an international studio founded in 1997 by Fulvio Giraldi and has its headquarters in Florence and other three offices in Berlin, Los Angeles and it is composed of 10 partners, 13 associates and 6 collaborators.

Well known for its concepts and design of coordinated images for International and Italian clients, GAA has designed and realized worldwide more than 3000 boutiques, showrooms and offices. The studio extends its activities to the field of Architecture with the design and realisation of Hotels, Office Buildings, Resorts, private houses and cultural projects.

GAA's design and architectural concepts for various international fashion brands receive since more than 15 years approval and confirmation worldwide.

A World Line in its fully growth, that explores new visual languages and always searches heterogeneous and differentiated forms of expression.

GAA designed a new lighting Decorative Collection, submitting classical object through a contemporary interpretation linked to the new lighting technologies that have identified Quattrobi for over 30 years.

CIRCLE CEILING



Ceiling Lamp suitable for large contract projects. Elegant and refined, recalls the orbital motions of the planets around the sun.

TECHNICAL DESCRIPTION

Ceiling lamp composed by a central disc with LED lighting system and three light rings with strip LED lighting system, anchored to the central disc via spacers. Painted aluminium frame, available in different custom finishes with front louver in frosten polycarbonate. With electronic ballast.



OKTO

CHANDELIER



Inspired by the classic chandelier in wrought iron, *Okto* is a chandelier revisited in a contemporary way. Suitable for contract and domestic elegance locations.

TECHNICAL DESCRIPTION

Suspended chandelier composed of a polished aluminium frame and three LED tubes made of opaline silicone. With electronic ballast.

BUBBLE


CHANDELIER



Suspended chandelier inspired by the '60s, consisting of eight swivel lighting. Elegant and casual, it suits any type of location.

TECHNICAL DESCRIPTION

Chandelier consisting of eight lamps connected to each other through a polished steel structure. Each of them is swiveled and consists of a painted aluminium structure with front louver in tempered glass. Available in different custom finishes. With electronic ballast.



CAGE

CHANDELIER




Classically inspired, *Cage* is a combination of technology and design. Lightweight and stylish it is conformed to contract and home locations.

TECHNICAL DESCRIPTION

Suspension lamp composed by a painted aluminium frame and seven LED tubes made of opaline silicone. Available in different custom finishes. With electronic ballast.

SCRIBBLE


CHANDELIER



It is a scribble of light, a chandelier with a creative and elegant personality, suitable for contract and custom location to better adapt itself to the space requirements.

TECHNICAL DESCRIPTION

Pendant lamp composed of transparent polycarbonate tubes and LED tubes. With electronic ballast.



BALANCE

CHANDELIER



Pendant and suspension lamp, *Balance* is composed of two moving rings of light. It could be placed in odd numbers in contract elegant and refined locations.

TECHNICAL DESCRIPTION

Suspension lamp made of two light rings with strip LED lighting system. Painted aluminium frame, available in different custom finishes with front louver in frosted polycarbonate. One of the two rings is moving on the horizontal axis through two metal spacers. With electronic ballast.

MEDUSA

CHANDELIER



Transparency and simplicity make it an elegant and refined lamp, suitable for installation in a “group.” A semicircle of light inspired by the underwater world.

TECHNICAL DESCRIPTION

Suspension lamp consists of a polished steel structure and a semicircle in transparent polycarbonate. The structure contains the strip LED lighting system. The light is spread by the frosted surface of the polycarbonate semicircle. With electronic ballast.



WIRE

CHANDELIER COMPOSITION



Inspired by classic lampshades, *Wire* is a composition of five suspension lamps of different shapes. The wire frame structure gives it a light and elegant appearance.

TECHNICAL DESCRIPTION

Pendant lamps in the edge of the gold painted iron (available in different finishes) and LED light bulb in sandblasted glass. With electronic ballast.

SLICE

CHANDELIER COMPOSITION



A section of light, shapes and sizes create a particular play of light and shadows thanks to the characteristic figure: partially filled, partially empty.

TECHNICAL DESCRIPTION

Suspension lamps in printed aluminium and laquered iron wire. Lighting system with sandblasted glass LED. With electronic ballast.



DUO

CHANDELIER COMPOSITION




Two-colored elegant and refined lamps, perfect for contract and domestic locations. The sinuous shape and the two-colored lacquer treatment gives to the object a contemporary and polish character.

TECHNICAL DESCRIPTION

Pendant lamps in matte white lacquered aluminium and shiny gold, with LED bulb lighting system. With electronic ballast.

WBOX


WALL MOUNTED



Moving light boxes fixed to the wall, *Wbox* creates special light effects thanks to its geometric shape and the inclined cut from which emerges a warm and pleasant light. Suitable for contract and domestic locations.

TECHNICAL DESCRIPTION

Wall lamps in painted steel and wood, LED lighting system with louver in frosted polycarbonate. Moving wall fixing. With electronic ballast.




DATASHEETS

DATASHEETS

CIRCLE

FEATURES



Power (w): 540W
 Installation: Ceiling
 Luminaire housing: Aluminium
 Louver: Frosted polycarbonate
 LED
 Light sources: LED
 Finishing: Gold, Black, White, Custom
 Protection Class: IP 40
 Insulation Class: III
 Power supply: 230V 50hz
 Dimensions: Ø2000×300 mm



OKTO

FEATURES


Power (w): 50W
 Installation: Suspended
 Luminaire housing: Aluminium
 Louver: Opal silicon
 LED
 Light sources: LED
 Finishing: Chrome
 Protection Class: IP 40
 Insulation Class: III
 Power supply: 230V 50hz
 Dimensions: Ø830×750 mm



BUBLE

FEATURES



Power (w): 8×21W
 Installation: Suspended
 Luminaire housing: Stell
 Louver: Tempered glass
 LED
 Light sources: LED
 Finishing: Chrome, Black, White
 Protection Class: IP 20
 Insulation Class: I
 Power supply: 230V 50hz
 Insulation Class: III
 Power supply: 230V 50hz
 Dimensions: 800×600×140 mm



CAGE

FEATURES


Power (w): 120W
 Installation: Suspended
 Luminaire housing: Aluminium
 Louver: Opal Silicon
 LED
 Light sources: LED
 Finishing: Gold, Black, White
 Protection Class: IP 40
 Insulation Class: III
 Power supply: 230V 50hz
 Dimensions: Ø1200×1500 mm



SCRIBBLE

FEATURES


Power (w): 150W
Installation: Suspended
Luminaire housing: Frosted polycarbonate
Light sources: LED
Finishing: White
Protection Class: IP 20
Insulation Class: III
Power supply: 230V 50hz
Dimensions: Ø1700×1000×1000 mm



BALANCE

FEATURES


Power (w): 95W
Installation: Suspended
Luminaire housing: Aluminium
Louder: Frosted polycarbonate
Light sources: LED
Finishing: Gold, Black, White, Chrome
Protection Class: IP 40
Insulation Class: III
Power supply: 230V 50hz
Dimensions: Ø1150/1010×800mm



MEDUSA

FEATURES


Power (w): 20W
Installation: Suspended
Luminaire housing: Stell
Louder: Polycarbonate
Light sources: LED
Finishing: Chrome, Black, White, Gold
Protection Class: IP 20
Insulation Class: III
Power supply: 230V 50hz
Dimensions: Ø800/600×350 mm



SLICE

FEATURES


Power (w): max 50W
Installation: Suspended
Luminaire housing: Iron wire/aluminium
Louder: -
Light sources: LED
Finishing: Gold, Black, White, Chrome
Protection Class: IP 20
Insulation Class: I
Power supply: 230V 50hz
Dimensions: Ø130/400 x200/450 mm



WIRE

FEATURES


Power (w): max 50W
Installation: Suspended
Luminaire housing: Iron wire
Louder: -
Light sources: LED
Finishing: Gold, Black, White, Chrome
Protection Class: IP 20
Insulation Class: I
Power supply: 230V 50hz
Dimensions: Ø300/450×350/500 mm



DUO

FEATURES

Power (w): max 50W
Installation: Suspended
Luminaire housing: Aluminium
Louver: -
Light sources: LED
Finishing: Gold, White
Protection Class: IP 20
Insulation Class: I
Power supply: 230V 50hz
Dimensions: Ø500/420x280mm



WBOX

FEATURES

Power (w): max 50W
Installation: Wall mounted
Luminaire housing: Stell/wood
Louver: -
Light sources: LED
Finishing: Gold, Black, White, Custom
Protection Class: IP 20
Insulation Class: I
Power supply: 230V 50hz
Dimensions: 200x200x200mm

