



Amenity Lighting



Area Lighting
Bollards
Flood Lighting
High Bay Lighting

Canopy Lighting
Linear LED Lighting
Wall Mount





EasyLED 405mm Area Light

Model# AL35EQ

Wattages: 187w & 286w

Replaces up to 1000w

Optics: IES Types I, II, III, IV, V

Delivered Lumens: 16,000 - 31,000

Available Mounts: Two-Piece Swivel Bracket, Large Yoke, Mounting Arm Adaptor, Adjustable Slipfitter



Kitty Hawk Area Light



Available Mounts: Two-Piece Swivel Bracket, Yoke, Mounting Arm Adapter, Kitty Hawk Arm, Adjustable Slipfitter



Large Kitty Hawk Area Light

Model# KH45EQ

Wattages: 177w & 281w

Replaces up to 1000w

Optics: IES Types I, II, III, IV, V

Delivered Lumens: 20,000 -33,500



Mini Kitty Hawk Area Light

Model# KH15EQ

Wattages: 24w & 43w

Replaces up to 175w

Optics: IES Types III & V

Delivered Lumens: 2,560 -4,900



Small Kitty Hawk Area Light

Model# KH25EQ

Wattages: 87w & 120w

Replaces up to 400w

Optics: IES Types I, II, III, IV, V

Delivered Lumens: 9,700 -15,500



Bentley Kitty Hawk PowerBolt Area Light

Model# KH55EQ

Wattages: 557w

Replaces up to 1500w

Optics: IES Types I, II, III, IV, V

Delivered Lumens: 61,000 -67,000

Slipfitter mount only

Complete Lighting Services Limited

Rookdown House, Southern Road, Basingstoke, Hants, RG21 3DZ

Tele: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk





Varistar EasyLED Area Light

Model# AD25EQ
Optics: IES Types III & V
Wattages: 61w & 121w
Replaces up to 400w
Delivered Lumens: Up to 14,500

Available Mounts: Pole Mounting Arm Adapter, Kitty Hawk Arm, Two-Piece Bracket, Adjustable Slipfitter



Reveal Area Lighting



Optional Microwave Sensor Available



Reveal Enclosed Area Light

Model# PF81EQ
Wattages: 186w
Replaces up to 400w
Optic: IES Type V
Delivered Lumens: 15,000



Reveal Small Enclosed Area Light

Model# PF71EQ
Wattages: 93w
Replaces up to 250w
Optic: IES Type V
Delivered Lumens: 5,900



Reveal Square Area Light

Model# PFS80EQ
Wattages: 186w
Replaces up to 400w
Optic: IES Type V
Delivered Lumens: 19,000



Reveal Open Area Light

Model# PF80EQ
Wattages: 186w
Replaces up to 400w
Optic: IES Type V
Delivered Lumens: 17,500



Reveal Small Open Area Light

Model# PF70EQ
Wattages: 93w
Replaces up to 250w
Optic: IES Type V
Delivered Lumens: 7,300

LED Dusk-To-Dawn Utility Light



Model# SC25EC3
Wattages: 42w
Replaces up to 175w
Optic: IES Type V
Delivered Lumens: 3,880





Reveal LED Bollards

Reveal Round LED Bollards

Model# B3EQ
Wattages: 20w
Replaces up to 70w
Optic: IES Type V
Delivered Lumens: Up to 1,540

Reveal Square LED Bollards

Model# B4EQ
Wattages: 20w
Replaces up to 70w
Optic: IES Type V
Delivered Lumens: Up to 1,540

EasyLED Full Cutoff Bollards



Full Cutoff with 180° Shield Model# B5HEQF
Full Cutoff Model# B5OEQF
Wattages: 19w
Replaces up to 70w
Optics: IES Types III & V
Delivered Lumens: Up to 680



COB LED Bollards



Round COB Bollard

Model# B1EC3
Wattages: 20w
Replaces up to 70w
Delivered Lumens: 2,290



Square LED Bollard

Model# B2EC3
Wattages: 20w
Replaces up to 70w
Delivered Lumens: 2,410

EasyLED Bollards with LED Cone Reflector

Wattages: 17w
Replaces up to 70w
Optic: IES Type V
Delivered Lumens: 1,520



EasyLED Dome
Stainless Steel Bollard
Model# BORLEQSS



EasyLED Dome
Bollard
Model# BORLEQSS



EasyLED Flat Top
Bollard
Model# BOFRLEQ



EasyLED Square
Bollard
Model# BOSFRLEQ



Varistar EasyLED Flood Light

Model# AD25EQ
 Beam Angle: 120°Hx110°V
 Wattages: 61w & 121w
 Replaces up to 400w
 Delivered Lumens: Up to 14,500

Available Mounts: Two-Piece Bracket, Adjustable Slipfitter



Kitty Hawk Flood Light



Available Mounts: Two-Piece Swivel Bracket, Yoke, Adjustable Slipfitter

Large Kitty Hawk Flood Light

Model# KH45EQ
 Wattages: 177w & 281w
 Replaces up to 1000w
 177w Beam Angles: 130°Hx70°V, 110°Hx30°V, 120°Hx70°V, 115°Hx110°V
 281w Beam Angles: 130°Hx70°V, 110°Hx30°V, 120°Hx70°V, 110°Hx50°V, 115°Hx110°V
 Delivered Lumens: Up to 33,500



Small Kitty Hawk Flood Light

Model# KH25EQ
 Wattages: 87w & 112w
 Replaces up to 400w
 87w Beam Angles: 130°Hx70°V, 110°Hx30°V, 120°Hx70°V, 115°Hx110°V
 112w Beam Angles: 130°Hx70°V, 110°Hx30°V, 120°Hx70°V, 100°Hx30°V, 115°Hx110°V
 Delivered Lumens: Up to 15,500



Mini Kitty Hawk Flood Light

Model# KH15EQ
 Wattages: 24w & 43w
 Replaces up to 175w
 24w Beam Angles: 110°Hx75°V, 110°Hx110°V
 43w Beam Angle: 120°Hx70°V, 115°Hx110°V
 Delivered Lumens: Up to 4,900

Bentley Kitty Hawk PowerBolt Flood Light

Model# KH55EQ
 Wattages: 557w
 Replaces up to 1500w
 Beam Angles: 130°Hx70°V, 110°Hx30°V, 120°Hx70°V, 110°Hx110°V
 Delivered Lumens: Up to 66,900
 Slipfitter mount only



EasyLED 405mm Flood Light



Model# AL35EQ

Wattages: 187w & 286w

Replaces up to 1000w

Beam Angles: 130°Hx75°V, 115°Hx40°V,

115°Hx70°V, 120°Hx50°V, 120°Hx120°V

Delivered Lumens: 16,000-30,500

Available Mounts: Two-Piece Swivel Bracket,
Large Yoke, Adjustable Slipfitter



Turbine C³ LED Bullet

Model# FB1EC3

Wattages: 20w

Replaces up to 100w

Beam Angles: 70°H x 70°V,

100°H x 100°V, 25°H x 25°V

Delivered Lumens: Up to 2,380

Complete Lighting Services Limited

Rooksdown House, Southern Road, Basingstoke, Hants, RG21 3DZ

Tele: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk



Traverse LED Floods



Small Traverse LED Flood

Model# TV2EC3

Wattages: 21w & 43w

Replaces up to 175w

21w Beam Angle: 110°Hx95°V

43w Beam Angle: 100°Hx90°V

Delivered Lumens: Up to 4,100



Large Traverse LED Flood

Model# TV3EC3


Wattages: 57w & 80w

Replaces up to 400w

60w Beam Angle: 105°Hx90°V

80w Beam Angle: 100°Hx80°V

Delivered Lumens: Up to 8,300



Small LED Flood



Small LED Flood

Model# FL20EL

Wattages: 21w

Replaces up to 70w

Beam Angle: 115°Hx100°V

Delivered Lumens: 2,330

Euro-Projector



EasyLED EP43 Euro-Projector

Model# EP43EQ

Wattages: 82w

Replaces up to 400w

Beam Angle: 110°Hx110°V

Delivered Lumens: 8,220

Complete Lighting Services Limited

Rooksdown House, Southern Road, Basingstoke, Hants, RG21 3DZ

Tel: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk



Lighting



Reveal Small Pendant & Canopy

Model# CP30EQ
Wattages: 93w
Optic: IES Type V
Delivered Lumens: 7,300



Reveal Pendant & Canopy

Model# CP32EQ
Wattages: 186w
Optic: IES Type V
Delivered Lumens: Up to 17,500



Reveal Square Pendant & Canopy

Model# CP38EQ
Wattages: 186w
Optic: IES Type V
Delivered Lumens: 18,900



Reveal Pendant & Canopy

Optional Microwave Sensor Available

EasyLED Canopy & Car Park



Model# VN55EQ
Wattages: 56w
Replaces up to 175w
Optic: IES Type V
Delivered Lumens: 5,600
Optional Microwave Sensor Available



Microwave Sensors



- Voltage: 220-240VAC, 50/60Hz
- Ambient Temperature: -35°C ~ +70°C
- Detection Zone: 16 meters Diameter x 15 meters high
- Sensing Time Delay: 5 sec.~30 min., adjustable
- Angle Sensor: 360° ceiling, 150° wall
- Installation: Indoor, wall or ceiling
- Installation Height: 2 to 12 Meters

Available on these models:

- | | | |
|----------|-----------|-----------|
| • CP30EQ | • PF80EQ | • WPR30EQ |
| • CP32EQ | • PF81EQ | • WPR32EQ |
| • CP38EQ | • PFS80EQ | • WPS25EQ |
| • PF70EQ | • VN55EQ | |
| • PF71EQ | • WPR25EQ | |

Car Park &
Canopy Lig

Complete Lighting Services Limited
Rooksdown House, Southern Road, Basingstoke, Hants, RG21 3DZ
Tele: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk





Linear EasyLED Die Cast

309mm EasyLED Die Cast Linear
Surface Mount and Ceiling

Model#LV1AOE, LV1AHE, LV1AVE

Wattages: 26w or 41w

Optic: IES Type V

Replaces up to 175w

Delivered Lumens: Up to 4,800



LV1AHE



LV1AVE



LV1AOE

614mm EasyLED Die Cast Linear
Surface Mount and Ceiling

Model#LV2AOE

Wattages: 58w or 77w

Optic: IES Type V

Replaces up to 250w

Delivered Lumens: Up to 8,100



1247mm Easy LED Die Cast Linear
Surface Mount and Ceiling

Model#LV4AOE

Wattages: 126w or 152w

Optic: IES Type V

Replaces up to 400w

Delivered Lumens: Up to 16,000



Linear LED Non-Corrosive

1268mm Linear LED
Non-Corrosive

Model# LVE4

Wattages: 47w

Delivered Lumens: 4,500

1568mm Linear LED
Non-Corrosive

Model# LVE5

Wattages: 70w

Delivered Lumens: 6,900

Empty housing also available.

Order model# LVE5AG




Narrow Linear LED Non-Corrosive

1568mm Narrow Linear
LED Non-Corrosive

Model# LVNE5

Wattages: 32w

Delivered Lumens: 3,040



Complete Lighting Services Limited

Rookdown House, Southern Road, Basingstoke, Hants, RG21 3DZ

Tele: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk



Kitty Hawk Wall Mount

Available Mounts: Kitty Hawk Arm, Yoke, Easy-Hang Wall Bracket



Small Kitty Hawk

Model# KH25EQ

Wattages: 87w & 120w

Replaces up to 400w

Optics: IES Types I, II, III, IV, V

Delivered Lumens: Up to 15,500



Mini Kitty Hawk

Model# KH15EQ

Wattages: 24w & 43w

Replaces up to 175w

Optics: IES Types III & V

Delivered Lumens: Up to 4,900

Wall Cylinders

Up/Down LED Wall Cylinder

Model# WCTRDEC3

Wattages: 40w

Replaces up to 175w

Optics: Wide, Medium, & Narrow

Delivered Lumens: Up to 4,500



Up or Down LED Wall Cylinder

Model# WCTRSEC3

Wattages: 20w

Replaces up to 100w


Optics: Wide, Medium, & Narrow

Delivered Lumens: Up to 2,320



Varistar EasyLED Wall Light

Available Mounts: Easy-Hang Wall Bracket, Kitty Hawk Arm



Model# AD25EQ

Wattages: 61w & 121w

Replaces up to 400w

Optics: IES Types III & V

Delivered Lumens: Up to 14,500



EasyLED Small PowerPack Full Cutoff Wall Mount

Model# WPC44EQ
Wattages: 28w & 42w
Replaces up to 175w
Optic: IES Type IV
Delivered Lumens: Up to 4,600



Traverse Wall Packs

Large Traverse

Model# TV3EC3
Wattages: 60w & 80w
Replaces up to 400w
Optic: IES Type III
Delivered Lumens: Up to 8,300



Small Traverse

Model# TV2EC3
Wattages: 20w & 40w
Replaces up to 175w
Optics: IES Types II & III
Delivered Lumens: Up to 4,100

Reveal Wall Sconce

Reveal Round and Square Wall Sconce

Round Model# WBB3EQ
Square Model# WBB4EQ
Wattages: 20w
Replaces up to 70w
Optic: IES Type V
Delivered Lumens: Up to 1,620

Bulkheads Optional Microwave Sensor Available

Round EasyLED Bulkheads

Model# WPR25EQ
Wattages: 20w
Replaces up to 100w
Optic: IES Type IV
Open Face Frame Delivered Lumens: 2,330
Grid Face Frame Delivered Lumens: 1,980
Half Cutoff Frame Delivered Lumens: 1,940



Square EasyLED Bulkheads

Model# WPS25EQ
Wattages: 20w
Replaces up to 100w
Optic: IES Type IV
Open Face Frame Delivered Lumens: 2,270
Grid Face Frame Delivered Lumens: 1,930
Half Cutoff Frame Delivered Lumens: 2,080





EasyLED Deck/Wall & Path Light

Model# DW5EQ

Wattages: 19w

Replaces up to 70w

Optic: IES Type V

Delivered Lumens: Up to 700



Small LED Moonglow

Model# WPR30E

Wattages: 20w

Replaces up to 100w

Optic: IES Type IV

Delivered Lumens: 1,870

Optional Microwave Sensor Available

Empty housing also available,
Order model# WPR30E



Large LED Moonglow

Model# WPR32E

Wattages: 30w

Replaces up to 175w

Optic: IES Type IV

Delivered Lumens: 2,640

Optional Microwave Sensor Available

Empty housing also available,
Order model# WPR32E



Element Outdoor Decorative LED Wall Pack

Model# WPDLEDC3

Wattages: 12w

Optic: IES Type IV

Delivered Lumens: 750

Element Outdoor Decorative LED Emergency Light

Model# WPDLEDC3

Wattages: 12w

Optic: IES Type IV

Delivered Lumens: 750

(Battery Mode: 200 Lumens)

3 HOUR BATTERY INCLUDED





EasyLED Orion Wall Sconce

Model# WPC36EQ

Wattages: 52w

Replaces up to 250w

Optic: IES Type V

Delivered Lumens: 5,400



EasyLED Small Wall Pack

Model# WP12EQ

Wattages: 28w

Replaces up to 100w

Optic: IES Type IV

Delivered Lumens: 2,980



EasyLED Bravo! Wall Pack

Model# WPB40EQ

Wattages: 28w

Replaces up to 175w

Optic: IES Type IV

Delivered Lumens: 3,120



HID Kit



Bravo! Wall Pack,
HID Kit.

Model# WPB40EB

Complete Lighting Services Limited

Rookdown House, Southern Road, Basingstoke, Hants, RG21 3DZ

Tele: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk



Mounts



C³ Low Profile 406mm LED Highbay with UpLight

Model# HB31EC3

Wattages: 123w

Replaces up to 250w

Delivered Lumens: Up to 27,000

**Available Lenses for any
Up and Down Light Combinations:**
SoftLED LumaLens, Clear Polycarbonate Lens

SoftLED

C³ Low Profile 406mm LED Highbay

Model# HB30EC3

Wattages: 123w

Replaces up to 250w

Delivered Lumens: Up to 25,300

Available Lenses: Acrylic Conical Lens,
Polycarbonate Drop Lens

COB LED Highbays



IP44 Rating for all Open Lens Models



Highbay
Lighting

Complete Lighting Services Limited
Rookdown House, Southern Road, Basingstoke, Hants, RG21 3DZ
Tele: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk



EasyLED Highbays



Available Lenses: Tempered Clear Flat Glass Lens, Tempered Clear Flat Prismatic Glass Lens, Acrylic Conical Lens, Polycarbonate Drop Lens



Bentley 406mm LED Highbay

Model# HB44EQ

Wattages: 179w

Replaces up to 400w

Delivered Lumens: Up to 20,000

Bentley 406mm LED Narrow Beam

Model# HB44EQI

Wattages: 179w

Replaces up to 400w

Delivered Lumens: 20,300

Bentley 406mm LED Aisle Lighter

Model# HB44EQK

Wattages: 179w

Replaces up to 400w

Delivered Lumens: Up to 19,000

Bentley 558mm LED Highbay

Model# HB45EQ

Wattages: 291w

Replaces up to 1000w

Delivered Lumens: Up to 32,500

Bentley 558mm LED Narrow Beam

Model# HB45EQI

Wattages: 291w

Replaces up to 1000w

Delivered Lumens: 33,500


Bentley 558mm LED Aisle Lighter

Model# HB45EQK

Wattages: 291w


Replaces up to 1000w

Delivered Lumens: Up to 31,500



Maximum Candela = 32273.899 Located At Horizontal Angle = 180, Vertical Angle = 22.5
1 - Vertical Plane Through Horizontal Angles (180 - 0) (Through Max. Cd.)
2 - Horizontal Cone Through Vertical Angle (22.5) (Through Max. Cd.)

Aisle Lighter



Maximum Candela = 69054.742 Located At Horizontal Angle = 90, Vertical Angle = 2.5
1 - Vertical Plane Through Horizontal Angles (90 - 270) (Through Max. Cd.)
2 - Horizontal Cone Through Vertical Angle (2.5) (Through Max. Cd.)

Narrow Beam

Complete Lighting Services Limited

Rookdown House, Southern Road, Basingstoke, Hants, RG21 3DZ

Tele: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk



Ercall Bulkheads

3-Meter Bollard

Model# B8TEQ

Wattages: 26w

Optic: IES Type V

Delivered Lumens: 1,550



Large Ercall Bulkhead

Model# WPR34EQ

Wattages: 35w

Optic: IES Type IV

Delivered Lumens: 4,000



Small Ercall Bulkhead

Model# WPR33EQ

Wattages: 20w

Optic: IES Type IV

Delivered Lumens: 2,000



Sportslighter

Model# SP52EQ

Wattages: 584w

Optic: NEMA 2X2, 3X3 4X4, & 5X5

Delivered Lumens: 60,000



PowerPack Wall Mount

Model# WPC45EQ

Wattages: 188w

Delivered Lumens: Up to 21,500



Aeroform Lighting



EasyLED Full Cutoff Wall Sconce

Model# WBB5EQ

Wattages: 19w

Optic: IES Type V

Delivered Lumens: 710



Small Turbine LED Bullet

Model# FB2EC3

Wattages: 9w

Beam Angle: 27°Hx27°V

Delivered Lumens: 860



Aeroform Area Light

Model# AF32EQ

Wattages: 72 to 156w

Optic: IES Type II, III, IV, V

Delivered Lumens: Up to 16,800



Aeroform Wall Mount

Model# AFW20EQ

Wattages: 19w

Optic: IES Type V

Delivered Lumens: Up to 1,700

Aeroform Bollard

Model# AFB20EQ

Wattages: 19w

Optic: IES Type V

Delivered Lumens: Up to 1,700



Coming &


Complete Lighting Services Limited

Rookdown House, Southern Road, Basingstoke, Hants, RG21 3DZ

Tele: 01256 811600 Fax: 01256 811601 email: reception@completelighting.co.uk



Surface Mounts



Large Square Surface Mount

Model# VN44EQ
Wattages: 52w
Optic: IES Type V
Delivered Lumens: 5,500



Small Square Surface Mount

Model# VN34EQ
Wattages: 25w
Optic: IES Type V
Delivered Lumens: 2,950



Large Round Surface Mount

Model# VNR34EQ
Wattages: 52w
Optic: IES Type V
Delivered Lumens: 5,560

Linear C3 Highbay



Model# HBLEC3
Wattages: 120 to 340w
Delivered Lumens: Up to 31,200
Emergency Modules Available.

LEDicated Vaporproof



Model# VB53EQ, VP53EQ, & VW53EQ
Wattages: 27w
Optic: IES Type V
Delivered Lumens: 3,400

AquaGuard Washdown



Model# AG24EQ
Wattages: 55w
Optic: IES Type V
Delivered Lumens: 7,000


Grow Lighting



914mm COB LED Grow Light

Model# GL33EC3 & GL73EC3
Wattages: 120 to 240w
Colour Spectrum:
Red - 77.1% / Blue - 22.6% / Green - .3%
Nanometer Ranges:
Red - 600-699 / Blue - 400-499 / Green - 500-599

120w COB LED Grow Light
Model# GL33EC3



240w COB LED Grow Light
Model# GL73EC3